

FILIPPO ONGARO

MANGIA  
CHE DIMAGRISCI

*Bibliografia*

PIEMME

## Bibliografia

- 2005 *Dietary Guidelines for Americans*, Center for Nutrition Policy and Promotion, U.S. Department of Agriculture.
- AKBARALY T.N. ET AL., *Alternative Healthy Eating Index and mortality over 18 y of follow-up: results from the Whitehall II cohort*, «Am J Clin Nutr», luglio 2011, 94 (1), pp. 247-253.
- AMES B.N., MCCANN J.C., *Adaptive dysfunction of selenoproteins from the perspective of the triage theory: why modest selenium deficiency may increase risk of diseases of aging*, «FASEB J» giugno 2011, 25 (6), pp. 1.793-1.814.
- ANDERSON J.W. ET AL., *Carbohydrate and fiber recommendations for individuals with diabetes: a quantitative assessment and meta-analysis of the evidence*, «Journal of the American College of Nutrition», 2004, 23, pp. 5-17.
- BELIN R.J. ET AL., *Diet quality and the risk of cardiovascular disease: the Women's Health Initiative (WHI)*, «Am J Clin Nutr», luglio 2011, 94 (1), pp. 49-57.
- BENOIST S. ET AL., *Impact of obesity on surgical outcomes after colorectal resection*, «Am J Surg», 2000, 179, pp. 275-281.
- BERNSTEIN A.M. ET AL., *Major dietary protein sources and risk of coronary heart disease in women*, «Circulation», 2010, 122, pp. 876-883.
- BERRIDGE K.C. ET AL., *The tempted brain eats: pleasure and desire circuits in obesity and eating disorders*, «Brain Res», 2 settembre 2010, 1.350, pp. 43-64. Epub 11 aprile 2010.

- BERRIDGE K.C., *“Liking” and “wanting” food rewards: brain substrates and roles in eating disorders*, *Physiol Behav*, 14 luglio 2009, 97 (5), pp. 537-550. Epub 29 marzo 2009. Review.
- BEULENS J.W. ET AL., *High dietary glyceemic load and glyceemic index increase risk of cardiovascular disease among middle-aged women: a population-based follow-up study*, «*Journal of the American College of Cardiology*», 2007, 50, pp. 14-21.
- BIRKMEYER N.J. ET AL., *Obesity and risk of adverse outcomes associated with coronary artery bypass surgery*, Northern New England Cardiovascular Disease Study Group, «*Circulation*», 1998, 97, 1.689-1.694.
- BISCHOFF-FERRARI H.A. ET AL., *Calcium intake and hip fracture risk in men and women: a meta-analysis of prospective cohort studies and randomized controlled trials*, «*Am J Clin Nutr*», 2007, 86, 1.780-1.790.
- , *Effect of vitamin D on falls: a meta-analysis*. «*JAMA*». 2004; 291, pp. 1.999-2.006.
- , *Fracture prevention with vitamin D supplementation: a meta-analysis of randomized controlled trials*, «*JAMA*», 2005, 293, pp. 2.257-2.264.
- BLUMENTHAL S. ET AL., *Report of the task force on blood pressure control in children*, «*Pediatrics*» 1977, pp. 59-797.
- BOLLAND M.J. ET AL., *Effect of calcium supplements on risk of myocardial infarction and cardiovascular events: meta-analysis*, «*BMJ*», 2010; 341:c3691. doi: 10.1136/bmj.c3691.
- BONDESON J., *The two-headed boy, and other medical marvels*, Cornell University Press, Ithaca 2000.
- BOONEN S. ET AL., *Need for additional calcium to reduce the risk of hip fracture with vitamin D supplementation: evidence from a comparative meta-analysis of randomized controlled trials*, «*J Clin Endocrinol Metab*» 2007, 92, pp. 1.415-1.423.
- BOOTH S.L. ET AL., *Dietary vitamin K intakes are associated with hip fracture but not with bone mineral density in el-*

- derly men and women*, «Am J Clin Nutr» 2000, 71, pp. 1.201-1.208.
- , *Vitamin K intake and bone mineral density in women and men*, «Am J Clin Nutr» 2003, 77 (2), pp. 512-516.
- BOUYSE F.M. ET AL., *Mechanism by which alcohol and wine polyphenols affect coronary heart disease risk*, «Ann Epidemiol» 2007, 17, pp. S24-31.
- BREHM B.J. ET AL., *A randomized trial comparing a very low carbohydrate diet and a calorie-restricted low fat diet on body weight and cardiovascular risk factors in healthy women*, «J Clin Endocrinol Metab» 2003, 88, pp. 1.617-1.623.
- BROWN C.D. ET AL., *Body mass index and the prevalence of hypertension and dyslipidemia*, «Obes Res» 2000, 8, pp. 605-619.
- BRUNSGAARD H., PEDERSEN B.K., *Age-related inflammatory cytokines and disease*, Immunol Allergy Clin North Am 2003, 23, pp. 15-39.
- CAMARGO C.A., JR. ET AL., *Prospective study of moderate alcohol consumption and risk of peripheral arterial disease in US male physicians*, «Circulation» 1997, 95, pp. 577-580.
- CANI P.D. ET AL., *Role of gut microflora in the development of obesity and insulin resistance following high-fat diet feeding*, Pathol Biol (Paris), luglio 2008, 56 (5), pp. 305-309. Epub, 30 gennaio 2008.
- CAPPUCCIO F.P. ET AL., *Epidemiologic association between dietary calcium intake and blood pressure: a meta-analysis of published data*, «Am J Epidemiol» 1995, 142, pp. 935-945.
- CARRETERO O.A., OPARIL S., *Essential Hypertension. Part I: Definition and Etiology*, «Circulation» 2000, 101, pp. 329-35.
- , *Essential Hypertension. Part II: Treatment*, «Circulation» 2000, 101, pp. 446-453.
- CATENACCI V.A. ET AL., *Physical activity patterns in the National Weight Control Registry*, «Obesity (Silver Spring)» 2008, 16, pp. 153-161.
- CHAVARRO J.E. ET AL., *A prospective study of dietary carbo-*

- hydrate quantity and quality in relation to risk of ovulatory infertility*, «European Journal of Clinical Nutrition» 2007.
- CHIU C.J. ET AL., *Dietary glycemic index and carbohydrate in relation to early age-related macular degeneration*, «American Journal of Clinical Nutrition» 2006; 83, pp. 880-886.
- CHO E. ET AL., *Dairy foods, calcium, and colorectal cancer: a pooled analysis of 10 cohort studies*, «J Natl Cancer Inst» 2004, 96, pp. 1.015-1.022.
- CHRISTAKIS N.A., FOWLER J.H., *The spread of obesity in a large social network over 32 years*, «N Engl J Med» 2007, 357, pp. 370-379.
- Clinical guidelines on the identification, evaluation, and treatment of overweight and obesity in adults*, Department of Health and Human Services, National Institutes of Health, National Heart, Lung, and Blood Institute, Bethesda (MD) 1998.
- COLDITZ G.A. ET AL., *Weight gain as a risk factor for clinical diabetes mellitus in women*, «Ann Intern Med» 1995, 122, pp. 481-486.
- COLMAN R.J. ET AL., *Caloric restriction delays disease onset and mortality in rhesus monkeys*, «Science», 10 luglio 2009, 325 (5.937), pp. 201-204.
- CONIGRAVE K.M. ET AL., *A prospective study of drinking patterns in relation to risk of type 2 diabetes among men*, «Diabetes» 2001, 50, pp. 2.390-2.395.
- Continuous Update Project Report Summary. Food, Nutrition, Physical Activity, and the Prevention of Colorectal Cancer*, World Cancer Research Fund, American Institute for Cancer Research 2011; <http://www.wcrf.org/PDFs/Colorectal-cancer-report-summary-2011.pdf>.
- DALLMAN M.F. ET AL., *Chronic stress and obesity: a new view of "comfort food"*, Proc Natl Acad Sci USA 2003, 100, pp. 11.696-11.701.
- DANSINGER M.L. ET AL., *Comparison of the Atkins, Ornish, Weight Watchers, and Zone diets for weight loss and heart*

- disease risk reduction: a randomized trial*, «JAMA» 2005, 293, pp. 43-53.
- DARNTON-HILL I. ET AL., *A life course approach to diet, nutrition and the prevention of chronic diseases*, «Public Health Nutr» 2004, 7, pp. 101-121.
- DE LORGERIL M. ET AL., *Mediterranean diet, traditional risk factors, and the rate of cardiovascular complications after myocardial infarction: final report of the Lyon Diet Heart Study*, «Circulation» 1999, 99, pp. 779-785.
- DE MUNTER J.S. ET AL., *Whole grain, bran, and germ intake and risk of type 2 diabetes: a prospective cohort study and systematic review*, «PLoS Med» 2007, 4, p. e261.
- DETHIER V.G., *The hungry fly: a physiological study of the behavior associated with feeding*, Harvard University Press, Cambridge 1976.
- DIBAISE J.K. ET AL., *Gut microbiota and its possible relationship with obesity*, Mayo Clin Proc, aprile 2008, 83(4), pp. 460-469.
- DICKINSON H.O. ET AL., *Calcium supplementation for the management of primary hypertension in adults*, «Cochrane Database Syst Rev» 2006, CD004639.
- Diet and Health: Food Consumption and Nutrient Intake, Table 7: Percentage of food energy from fat for individuals ages 2 and older, 1977-1996*, Economic Research Service, USA Department of Agriculture.
- Diet, nutrition and the prevention of chronic diseases*, World Health Organ Tech Rep Ser 2003, 916, pp. 1-149.
- DJOUSSE L. ET AL., *Alcohol consumption and type 2 diabetes among older adults: the Cardiovascular Health Study*, «Obesity (Silver Spring)» 2007, 15, pp. 1.758-1.765.
- DONG C. ET AL., *Relationship of obesity to depression: a family-based study*, «Int J Obes Relat Metab Disord» 2004, 28, pp. 790-795.
- DRENICK E.J. ET AL., *Excessive mortality and causes of death in morbidly obese men*, ««JAMA»» 1980, 243, pp. 443-445.
- DUNSTAN D.W. ET AL., *Television viewing time and morta-*

- lity: the Australian Diabetes, Obesity and Lifestyle Study (AusDiab)*, «Circulation» 2010; 121, pp. 384-391.
- EBBELING C.B. ET AL., *Effects of a low-glycemic load vs low-fat diet in obese young adults: a randomized trial*, «JAMA» 2007, 297, pp. 2.092-2.102.
- , *Effects of decreasing sugar-sweetened beverage consumption on body weight in adolescents: a randomized, controlled pilot study*, «Pediatrics» 2006, 117, pp. 673-680.
- ELIASSEN A.H. ET AL., *Adult weight change and risk of postmenopausal breast cancer*, «JAMA» 2006, 296, pp. 193-201.
- ENGELMAN D.T. ET AL., *Impact of body mass index and albumin on morbidity and mortality after cardiac surgery*, «J Thorac Cardiovasc Surg» 1999, 118, pp. 866-873.
- EYER J., STERLING P., *Stress-related mortality and social organization*, «Rev Radical Political Econ» 1977, 9, pp. 1-44.
- FELSON D.T. ET AL., *Obesity and knee osteoarthritis: the Framingham Study*, «Ann Intern Med» 1988, 109, pp. 18-24.
- FESKANICH D. ET AL., *Milk, dietary calcium, and bone fractures in women: a 12-year prospective study*, «Am J Public Health» 1997, 87, pp. 992-997.
- , *Protein consumption and bone fractures in women*, «Am J Epidemiol» 1996, 143, pp. 472-479.
- , *Vitamin K intake and hip fractures in women: a prospective study*, «Am J Clin Nutr» 1999, 69, pp. 74-79.
- Food, nutrition, physical activity, and the prevention of cancer: a global perspective*, World Cancer Research Fund, American Institute for Cancer Research, Washington (DC) 2007.
- FOSTER G.D. ET AL., *A randomized trial of a low-carbohydrate diet for obesity*. *New England Journal of Medicine*. 2003; 348, pp. 2.082-2.090.
- FOSTER-POWELL K. ET AL., *International table of glycemic index and glycemic load values: 2002*, «American Journal of Clinical Nutrition» 2002, 76, pp. 5-56.
- Fructose Sets Table For Weight Gain Without Warning*, «Science Daily», 19 ottobre 2008.

- GALLAGHER D. ET AL., *Healthy percentage of body fat ranges: an approach for developing guidelines based on body mass index*, «Am J Clin Nutr», 72, pp. 694-670.
- GANMAA D., SATO A., *The possible role of female sex hormones in milk from pregnant cows in the development of breast, ovarian, and corpus uteri cancers*, «Med Hypotheses» 2005, 65, pp. 1.028-1.037.
- GARDNER C.D. ET AL., *Comparison of the Atkins, Zone, Ornish, and LEARN diets for change in weight and related risk factors among overweight premenopausal women: the A TO Z Weight Loss Study: a randomized trial*, «JAMA» 2007; 297, pp. 969-977.
- GENKINGER J.M. ET AL., *Dairy products and ovarian cancer: a pooled analysis of 12 cohort studies*, «Cancer Epidemiol Biomarkers Prev» 2006, 15, pp. 364-72.
- GIOVANNUCCI E. ET AL., *Calcium and fructose intake in relation to risk of prostate cancer*, «Cancer Res» 1998, 58, pp. 442-447.
- , *Risk factors for prostate cancer incidence and progression in the Health Professionals Follow-up Study*, «International Journal of Cancer» 2007, 121, pp. 1.571-1.578.
- GREGG E.W. ET AL., *Relationship of walking to mortality among US adults with diabetes*, «Arch Intern Med» 2003; 163, pp. 1.440-1447.
- GRODSTEIN F. ET AL., *A prospective study of symptomatic gallstones in women: relation with oral contraceptives and other risk factors*, «Obstet Gynecol» 1994, 84, pp. 207-214.
- GUSTAFSON D. ET AL., *An 18-year follow-up of overweight and risk of Alzheimer disease*, Arch Intern Med 2003, 163, pp. 1.524-1.528.
- HAKIM A.A. ET AL., *Effects of walking on coronary heart disease in elderly men: the Honolulu Heart Program*, «Circulation» 1999, 100, pp. 9-13.
- HALAAS J.L. ET AL., *Weight-reducing effects of the plasma protein encoded by the obese gene*, «Science» 1995, 269, pp. 543-546.



- HALSTED C.H., *Obesity: effects on the liver and gastrointestinal system*, «Curr Opin Clin Nutr Metab Care» 1999, 2, pp. 425-429.
- HALTON T.L. ET AL., *Low-carbohydrate-diet score and risk of type 2 diabetes in women*, «Am J Clin Nutr» 2008, 87, pp. 339-346.
- , *Low-carbohydrate-diet score and the risk of coronary heart disease in women*, «New England Journal of Medicine» 2006, 355, pp. 1.991-2.002.
- HALTON T.L., HU F.B., *The effects of high-protein diets on thermogenesis, satiety and weight loss: a critical review*, «J Am Coll Nutr» 2004, 23, pp. 373-385.
- HASKELL W.L. ET AL., *Physical activity and public health: updated recommendation for adults from the American College of Sports Medicine and the American Heart Association*, «Med Sci Sports Exerc» 2007, 39, pp. 1.423-1.434.
- Health, United States, 2009: With Chartbook on Trends in the Health of Americans*, National Center for Health Statistics, Hyattsville (MD) 2009.
- HERNANDEZ T.L. ET AL., *Fat Redistribution Following Suction Lipectomy: Defense of Body Fat and Patterns of Restoration*. «Obesity (Silver Spring)» luglio 2011; 19 (7), pp. 1388-1395. doi: 10.1038/oby.2011.64. Epub 7 aprile 2011.
- HESSION M., ROLLAND C., KULKARNI U., WISE A., BROOM J., *Systematic review of randomized controlled trials of low-carbohydrate vs. low-fat/low-calorie diets in the management of obesity and its comorbidities*, «Obes. Rev» 2009, 10, pp. 36-50.
- HIGGINBOTHAM S. ET AL., *Dietary glycemic load and risk of colorectal cancer in the Women's Health Study*, «J Natl Cancer Inst» 2004, 96, pp. 229-233.
- HORTON R., *Commentary: The new new public health of risk and radical engagement*, «Lancet» 1998, 352 (9.124), pp. 251-252.

- HOWARD B.V. ET AL., *Low-fat dietary pattern and weight change over 7 years: the Women's Health Initiative Dietary Modification Trial*, «JAMA» 2006, 295, pp. 39-49.
- HU F.B. ET AL., *Television watching and other sedentary behaviors in relation to risk of obesity and type 2 diabetes mellitus in women*, «JAMA» 2003, 289, pp. 1.785-1.791.
- , *Walking compared with vigorous physical activity and risk of type 2 diabetes in women: a prospective study*, «JAMA» 1999, 282, pp. 1.433-1.439.
- HUANG Z. ET AL., *Body weight, weight change, and risk for hypertension in women*, «Ann Intern Med» 1998, 128, pp. 81-88.
- , *Dual effects of weight and weight gain on breast cancer risk*, «JAMA» 1997, 278, pp. 1.407-1.411.
- HYMAN J. ET AL., *Dietary and supplemental calcium and the recurrence of colorectal adenomas*. «Cancer Epidemiol Biomarkers Prev.» 1998, 7, 291-295.
- IKEDA H. ET AL., *Synaptic plasticity in spinal lamina I projection neurons that mediate hyperalgesia*, «Science» 2003, 299, pp. 1.237-1.240.
- Is total fat consumption really decreasing?*, USDA Center for Nutrition Policy and Promotion, 1998.
- JACOBS D.R. ET AL., *Whole-grain intake and cancer: an expanded review and meta-analysis*, «Nutrition and Cancer» 1998, 30, pp. 85-96.
- , *Whole-grain consumption is associated with a reduced risk of noncardiovascular, noncancer death attributed to inflammatory diseases in the Iowa Women's Health Study*, «American Journal of Clinical Nutrition» 2007, 85, pp. 1.606-1.614.
- JEON C.Y. ET AL., *Physical activity of moderate intensity and risk of type 2 diabetes: a systematic review*, «Diabetes Care» 2007, 30, pp. 744-752.
- JÉQUIER E., *Leptin signaling, adiposity, and energy balance*, «Ann N Y Acad Sci», giugno 2002, 967, pp. 379-388.

- , *Pathways to obesity*, «Int J Obes Relat Metab Disord», 26 settembre 2002, Suppl 2, pp. S12-17.
- JOHNSON L.W., WEINSTOCK R.S., *The metabolic syndrome: concepts and controversy*, «Mayo Clinic Proceedings» 2006, 81, 1.615-1.620.
- JOHNSON P.M., KENNY P.J., *Dopamine D2 receptors in addiction-like reward dysfunction and compulsive eating in obese rats*, «Nat Neurosci» maggio 2010; 13 (5), pp. 635-641. Epub 28 marzo 2010.
- JOHNSON R.K. ET AL., *Dietary sugars intake and cardiovascular health: a scientific statement from the American Heart Association*, «Circulation» 2009, 120, pp. 1.011-1.020.
- JOHNSTON E. ET AL., *The relation of body mass index to depressive symptoms*, «Can J Public Health» 2004, 95, pp. 179-183.
- KANAYA A.M. ET AL., *Change in cognitive function by glucose tolerance status in older adults: a 4-year prospective study of the Rancho Bernardo study cohort*, Arch Intern Med 2004, 164, 1.327-1.333.
- KERSHAW E.E., FLIER J.S., *Adipose tissue as an endocrine organ*, «J Clin Endocrinol Metab» 2004, 89 (6), pp. 2.548-2.556.
- KNOWLER W.C. ET AL., *Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin*, «N Engl J Med» 2002, 346, pp. 393-403.
- KRISHNAN S. ET AL., *Physical activity and television watching in relation to risk of type 2 diabetes: the Black Women's Health Study*, «Am J Epidemiol» 2009, 169, pp. 428-434.
- LARSSON S.C. ET AL., *Calcium and dairy food intakes are inversely associated with colorectal cancer risk in the Cohort of Swedish Men*, «Am J Clin Nutr» 2006, 83, pp. 667-73; quiz 728-729.
- LEE A.T. ET AL., *A role for DNA mutations in diabetes-associated teratogenesis in transgenic embryos*, «Diabetes» 1995, 44, pp. 20-24.

- LEE A.T., CERAMI A., *In vitro and in vivo reactions of nucleic acids with reducing sugars*, «Mutat Res» 1990, 238, pp. 185-91.
- LEE I.M. ET AL., *Physical activity and coronary heart disease in women: is "no pain, no gain" passé?*, «JAMA» 2001, 285, pp. 1.447-1.454.
- , *Relative intensity of physical activity and risk of coronary heart disease*, «Circulation» 2003, 107, pp. 1.110-1.116.
- LEITZMANN M.F. ET AL., *Prospective study of alcohol consumption patterns in relation to symptomatic gallstone disease in men*, «Alcohol Clin Exp Res» 1999, 23, pp. 835-841.
- LEW E.A., GARFINKEL L., *Variations in mortality by weight among 750,000 men and women*, «J Chronic Dis» 1979, 32, pp. 563-576.
- LEY R.E., *Obesity and the human microbiome*. *Curr Opin Gastroenterol*, gennaio 2010, 26 (1), pp. 5-11.
- LI A.M. ET AL., *The effects of obesity on pulmonary function*, «Arch Dis Child» 2003, 88, pp. 361-363.
- LIESE A.D. ET AL., *Whole-grain intake and insulin sensitivity: the Insulin Resistance Atherosclerosis Study*, «American Journal of Clinical Nutrition» 2003, 78, pp. 965-571.
- LISSNER L. ET AL., *Fasting insulin in relation to subsequent blood pressure changes and hypertension in women*, «Hypertension» 1992, 20, pp. 797-801.
- LIU S. ET AL., *Whole-grain consumption and risk of coronary heart disease: results from the Nurses' Health Study*, «American Journal of Clinical Nutrition» 1999, 70, pp. 412-419.
- LIU S., WILLETT W.C., *Dietary glycemic load and atherothrombotic risk*, «Curr Atheroscler Rep» 2002, 4, pp. 454-461.
- LUDER E. ET AL., *Body mass index and the risk of asthma in adults*, «Respir Med» 2004, 98, pp. 29-37.
- LUDWIG D.S. ET AL., *Relation between consumption of sugar-sweetened drinks and childhood obesity: a prospective, observational analysis*, «Lancet» 2001, 357, pp. 505–508.

- LUDWIG D.S., *Clinical update: the low-glycaemic-index diet*, «Lancet» 2007, 369, pp. 890-892.
- LUSK A.C. ET AL., *Bicycle riding, walking, and weight gain in premenopausal women*, «Arch Intern Med» 2010, 170, pp. 1.050-1.056.
- MACLURE K.M. ET AL., *Weight, diet, and the risk of symptomatic gallstones in middle-aged women*, «N Engl J Med», 1989, 321, pp. 563-569.
- MAKI K.C. ET AL., *Effects of a reduced-glycemic-load diet on body weight, body composition, and cardiovascular disease risk markers in overweight and obese adults*, «American Journal of Clinical Nutrition» 2007, 85, pp. 724-734.
- MALIK V.S., HU F.B., *Popular weight-loss diets: from evidence to practice*, «Nat Clin Pract Cardiovasc Med» 2007, 4, pp. 34-41.
- MANEK N.J. ET AL., *The association of body mass index and osteoarthritis of the knee joint: an examination of genetic and environmental influences*, «Arthritis Rheum», 2003, 48, pp. 1.024-1.029.
- MANSON J.E. ET AL., *A prospective study of walking as compared with vigorous exercise in the prevention of coronary heart disease in women*, «N Engl J Med» 1999, 341, pp. 650-658.
- , *Estrogen plus progestin and the risk of coronary heart disease*, «N Engl J Med» 2003, 349, pp. 523-534.
- , *Walking compared with vigorous exercise for the prevention of cardiovascular events in women*, «N Engl J Med», 2002, 347, pp. 716-725.
- MARTINEZ M.E., WILLETT W.C., *Calcium, vitamin D, and colorectal cancer: a review of the epidemiologic evidence*, «Cancer Epidemiol Biomarkers Prev» 1998, 7, pp. 163-168.
- MCCULLOUGH M.L. ET AL., *Diet quality and major chronic disease risk in men and women: moving toward improved dietary guidance*, «Am J Clin Nutr», dicembre 2002, 76(6), pp. 1.261-1.271.
- MCEWEN B.S., *Possible mechanisms for atrophy of the hu-*

- man hippocampus*, «Mol Psychiatry» 2, 1997, pp. 255-262.
- , *Protective and damaging effects of stress mediators*, «New Engl J Med» 1998, 338, pp. 171-179.
- , *Stress and hippocampal plasticity*, «Ann Rev Neurosci» 1999, 22, pp. 105-122.
- MCEWEN B.S., SEEMAN T., *Protective and damaging effects of mediators of stress: Elaborating and testing the concepts of allostasis and allostatic load*, «Ann NY Acad Sci in press» 1999.
- MCEWEN B.S., STELLAR E., *Stress and the Individual: Mechanisms leading to disease*, «Arch Internal Med» 1993, 153, pp. 2.093-2.101.
- MCMANUS K ET AL., *A randomized controlled trial of a moderate-fat, low-energy diet compared with a low-fat, low-energy diet for weight loss in overweight adults*, «Int J Obes Relat Metab Disord» 2001, 25, pp. 1.503-1.511.
- MEKARY R.A. ET AL., *Physical activity patterns and prevention of weight gain in premenopausal women*, «Int J Obes» 2009, 33, pp. 1.039-1.047.
- , *Physical activity in relation to long-term weight maintenance after intentional weight loss in premenopausal women*, «Obesity (Silver Spring)» 2010, 18, pp. 167-174.
- MELLEN P.B. ET AL., *Whole grain intake and cardiovascular disease: A meta-analysis*, «Nutr Metab Cardiovasc Dis» 2007.
- MOKDAD A.H. ET AL., *Prevalence of obesity, diabetes, and obesity-related health risk factors*, 2001, «JAMA» 2003, 289, pp. 76-79.
- MOZAFFARIAN D. ET AL., *Changes in diet and lifestyle and long-term weight gain in women and men*, «N Engl J Med» 2011, 364, pp. 2.392-2.404.
- MUKAMAL K.J. ET AL., *Alcohol consumption and risk of coronary heart disease in older adults: the Cardiovascular Health Study*, «J Am Geriatr Soc» 2006, 54, pp. 30-37.
- , *Prior alcohol consumption and mortality following acute myocardial infarction*, «JAMA» 2001, 285, pp. 1.965-1.970.

- , *Roles of drinking pattern and type of alcohol consumed in coronary heart disease in men*, «N Engl J Med» 2003, 348, pp. 109-118.
- MUNTWYLER J. ET AL., *Mortality and light to moderate alcohol consumption after myocardial infarction*, «Lancet» 1998, 352, pp. 1.882-1.885.
- NEEL J.V., WEDER A.B., JULIUS S., *Type II diabetes, essential hypertension, and obesity as “syndromes of impaired genetic homeostasis”: the “thrifty genotype” hypothesis enters the 21st century*, «Perspect Biol Med» 1998, 42, pp. 44-74.
- NELSON M.E. ET AL., *Physical activity and public health in older adults: recommendation from the American College of Sports Medicine and the American Heart Association*, «Circulation» 2007, 116, pp. 1.094-1.105.
- NORDMANN A.J. ET AL., 2006. *Effects of low-carbohydrate vs low-fat diets on weight loss and cardiovascular risk factors: a meta-analysis of randomized controlled trials*, «Arch Intern Med» 166, pp. 285-293.
- OGDEN C.L. ET AL., *Epidemiologic trends in overweight and obesity*, «Endocrinol Metab Clin North Am» 2003, 32, pp. 741-760.
- OGUMA Y. ET AL., *Physical activity decreases cardiovascular disease risk in women: review and meta-analysis*, «Am J Prev Med» 2004, 26, pp. 407-418.
- OLSHANSKY S.J. ET AL., *A potential decline in life expectancy in the United States in the 21st century*, NEJM 2005, 352(11), pp. 1.138-1.145.
- Osteoporosis: fast facts*, National Osteoporosis Foundation. Accessed January 24, 2008.
- OWEN N. ET AL., *Too much sitting: the population health science of sedentary behavior*, «Exerc Sport Sci Rev» 2010, 38, pp. 105-13.
- OWUSU W. ET AL., *Calcium intake and the incidence of forearm and hip fractures among men*, «J Nutr» 1997, 127, pp. 1.782-1.787.

- PAN A. ET AL., *Red meat consumption and risk of type 2 diabetes: 3 cohorts of US adults and an updated meta-analysis*, «Am J Clin Nutr», 10 agosto 2011.
- PASQUALI R. ET AL., *Obesity and reproductive disorders in women*, «Hum Reprod Update» 2003, 9, pp. 359-372.
- PATEL A.V. ET AL., *Leisure Time Spent Sitting in Relation to Total Mortality in a Prospective Cohort of US Adults*, «Am J Epidemiol» 2010.
- PATEL M.S., SRINIVASAN M., *Metabolic programming: causes and consequences*, «J Biol Chem» 2002, 277, pp. 1.629-1.632.
- PATEL S.R., HU F.B., *Short sleep duration and weight gain: a systematic review*, «Obesity (Silver Spring)» 2008, 16, pp. 643-653.
- PEREIRA M.A. ET AL., *Fast-food habits, weight gain, and insulin resistance (the CARDIA study): 15-year prospective analysis*, «Lancet» 2005, 365, pp. 36-42.
- PHELAN S. ET AL., *Are the Eating and Exercise Habits of Successful Weight Losers Changing?*, «Obesity» 2006, 14, pp. 710-716.
- , *Three-Year Weight Change in Successful Weight Losers Who Lost Weight on a Low-Carbohydrate Diet*, «Obesity» 2007, 15, pp. 2.470-2.477.
- PORGES S.W., *Social engagement and attachment: a phylogenetic perspective*.
- , *The polyvagal perspective*, «Biol Psychol», febbraio 2007, 74(2), pp. 116-143, Epub, 16 ottobre 2006.
- , *The polyvagal theory: new insights into adaptive reactions of the autonomic nervous system*, «Cleve Clin J Med», aprile 2009, 76 Suppl 2, pp. S86-90.
- PORTER S.A. ET AL., *Abdominal subcutaneous adipose tissue: a protective fat depot?* «Diabetes Care», giugno 2009, 32 (6), pp. 1.068-1.075, Epub, 24 febbraio 2009.
- PRATT M. ET AL., *Higher direct medical costs associated with physical inactivity*, «Physician and Sportsmedicine» 2000, 28, pp. 63-70.



- RAND C.S., MACGREGOR A.M., *Weight loss following obesity surgery and the perceived liability of morbid obesity*, «Int J Obes», settembre 1991; 15 (9), pp. 577-579.
- RAYNOR D.A. ET AL., *Television Viewing and Long-Term Weight Maintenance: Results from the National Weight Control Registry*, «Obesity» 2006, 14, pp. 1.816-1.824.
- REINHARDT C., REIGSTAD C.S., BÄCKHED F. J., *Intestinal microbiota during infancy and its implications for obesity*, «Pediatr Gastroenterol Nutr», marzo 2009, 48 (3), pp. 249-256.
- RIMM E.B. ET AL., *Body size and fat distribution as predictors of coronary heart disease among middle-aged and older US men*, «Am J Epidemiol» 1995, 141, pp. 1.117-1.127.
- ROTH J. ET AL., *The obesity pandemic: where have we been and where are we going?*, «Obesity Res» 2004a, 12, pp. 88S-101S.
- SACKS F. ET AL., *Effects on blood pressure of reduced dietary sodium and the dietary approaches to stop hypertension (DASH) diet*, «New Engl J Med» 2001, 344, pp. 3-9.
- , *Comparison of Weight-Loss Diets with Different Compositions of Fat, Protein, and Carbohydrates*, «N Engl J Med» 2009, 360, pp. 859-873.
- SAMAHA F.F. ET AL., *A low-carbohydrate as compared with a low-fat diet in severe obesity*, «New England Journal of Medicine» 2003, 348, pp. 2.074-2.081.
- SAPER C. ET AL., *The need to feed: homeostatic and hedonic control of eating*, «Neuron» 2002, 36, pp. 199-211.
- SAWYER R.G. ET AL., *Increased early morbidity and mortality with acceptable long-term function in severely obese patients undergoing liver transplantation*, «Clin Transplant» 1999, 13(1, parte 2), pp. 126-130.
- SCHATZKIN A. ET AL., *Dietary fiber and whole-grain consumption in relation to colorectal cancer in the NIH-AARP Diet and Health Study*, «American Journal of Clinical Nutrition» 2007, 85, pp. 1.353-1.360.
- SCHULKIN J. (ED), *Allotstasis, homeostasis and the cost of phy-*

- biological adaptation*, Cambridge University Press, Cambridge 2004, pp. 39-58.
- SCHULKIN J., *The Neuroendocrine Regulation of Behavior*, Cambridge University Press, New York, 1999.
- SCHULZE M.B. ET AL., *Sugar-sweetened beverages, weight gain, and incidence of type 2 diabetes in young and middle-aged women*, «JAMA» 2004, 292, pp. 927-34.
- SCHWARTZ M.W. ET AL., *Central nervous system control of food intake*, «Nature» 2000, 404, pp. 661-672.
- SERDULA M.K. ET AL., *Prevalence of attempting weight loss and strategies for controlling weight*, «JAMA» 1999, 282, pp. 1.353-1.358.
- SESSO H.D. ET AL., *Physical activity and coronary heart disease in men: The Harvard Alumni Health Study*, «Circulation» 2000, 102, pp. 975-980.
- SHAI I. ET AL., *Weight Loss with a Low-Carbohydrate, Mediterranean, or Low-Fat Diet*, «N Engl J Med» 2008, 359, pp. 229-241.
- SHAPIRO A. ET AL., *Fructose-induced leptin resistance exacerbates weight gain in response to subsequent high-fat feeding*, «Am J Physiol Regul Integr Comp Physiol» 2008, 295 (5), pp. R1370-R1375.
- SHIMIZU H. ET AL., *Cancers of the prostate and breast among Japanese and white immigrants in Los Angeles County*, «Br J Cancer» 1991, 63, pp. 963-966.
- SOLOMON C.G. ET AL., *Moderate alcohol consumption and risk of coronary heart disease among women with type 2 diabetes mellitus*, «Circulation» 2000, 102, pp. 494-499.
- SPEISER P.W. ET AL., *Consensus statement: childhood obesity*, «JCEM», 90, pp. 1.871-1.887.
- STERLING P., EYER J., *Biological basis of stress-related mortality*, Soc Sci Med 1981, 15E, 3-42.
- STRAYER L. ET AL., *Dietary carbohydrate, glycemic index, and glycemic load and the risk of colorectal cancer in the BC-DDP cohort*, «Cancer Causes and Control» 2007, 18, pp. 853-863.

- SUN Q. ET AL., *White rice, brown rice, and risk of type 2 diabetes in US men and women*, «Arch Intern Med» 2010, 170, pp. 961-969.
- The Sixth Report of the Joint National Committee on Prevention, Detection, Evaluation and Treatment of High Blood Pressure*, NIH Publications, Bethesda (MD) 1997.
- WANSINK B., *Environmental Factors that Increase the Food Intake and Consumption Volume of Unknowing Consumers*, «Annual Review of Nutrition» 2004, volume 24, pp. 455-479.
- , *Eating: Why We Eat More Than We Think*, Bantam Dell, New York 2006, p. 1.
- WANSINK B., SOBAL J., *Mindless Eating: The 200 Daily Decisions We Unknowingly Make*, «Environment and Behavior» 2007, 39, pp. 1, 106-123.
- WILLETT W. ET AL., *Glycemic index, glycemic load, and risk of type 2 diabetes*, «American Journal of Clinical Nutrition» 2002, 76, pp. 274S-280S.
- WILLETT W., *Nutritional epidemiology*, Oxford University Press, New York 1998.
- WILLETT W.C. ET AL., *Guidelines for healthy weight*, «N Engl J Med» 1999, 341, pp. 427-434.
- , *Weight, weight change, and coronary heart disease in women. Risk within the 'normal' weight range*, «JAMA» 1995, 273, pp. 461-465.
- WILLETT W.C., LEIBEL R.L., *Dietary fat is not a major determinant of body fat*, «Am J Med» 2002, 113, Suppl 9B, pp. 47S-59S.
- WILLETT W.C., *Dietary fat plays a major role in obesity: no*, «Obes Rev» 2002, 3, pp. 59-68.
- WING R.R., HILL J.O., *Successful weight loss maintenance*, «Annu Rev Nutr» 2001, 21, pp. 323-341.
- XU H. ET AL., *Chronic inflammation in fat plays a crucial role in the development of obesity-related insulin resistance*, «J Clin Invest» 2003, 112, pp. 1.821-1.830.
- YAN L.L. ET AL., *BMI and health-related quality of life in adults 65 years and older*, «Obes Res» 2004, 12, pp. 69 -76.

- ZHANG C. ET AL., *Abdominal Obesity and the Risk of All-Cause, Cardiovascular, and Cancer Mortality. Sixteen Years of Follow-Up in US Women*, «Circulation» 2008.
- ZHANG X. ET AL., *Abdominal adiposity and mortality in Chinese women*, «Arch Intern Med» 2007, 167, pp. 886-892.
- ZIMMET P. ET AL., *Global and societal implications of the diabetes epidemic*, «Nature» 2001, 414, pp. 782-787.